


● Registered Wells > 500 GPM

2323	2325	2327	2329	2331	2333	2335	2337
2433	2431	2429	2427	2425	2423	2421	2419
2613	2615	2617	2619	2621	2623	2625	2627
2727	2725	2723	2721	2719	2717	2715	2713
2909	2911	2913	2915	2917	2919	2921	2923
3023	3021	3019	3017	3015	3013	3011	3009
3205	3207	3209	3211	3213	3215	3217	3219
3319	3317	3315	3313	3311	3309	3307	3305

Geo Codes



Howard County

Legend

⌘ Towns

□ Sections

— Rivers and Streams

— Topography

Soil Classes

■ Lakes and Ponds

■ Excessively drained sandy soils formed in alluvium in valleys and eolian sand on uplands in sandhills

■ Excessively drained sandy soils formed in eolian sands on uplands in sandhills

■ Moderately well drained silty soils on uplands and in depressions formed in loess

■ Well drained silty soils formed in loess on uplands

■ Well drained silty soils formed in loess and alluvium on stream terraces

■ Well to somewhat excessively drained loamy soils formed in weathered sandstone and eolian material on uplands

■ Somewhat poorly drained soils formed in alluvium on bottom lands

■ Moderately well drained silty soils with clayey subsoils on uplands