



 Market Areas



● Registered Wells > 500 GPM





| | | | | | |
|------|------|------|------|------|------|
| 3733 | 3731 | 3729 | 3727 | 3725 | 3723 |
| 3931 | 3933 | 3935 | 3937 | 3939 | 3941 |
| 3969 | 3967 | 3965 | 3963 | 3961 | 3959 |
| 4167 | 4169 | 4171 | 4173 | 4175 | 4177 |
| 4209 | 4207 | 4205 | 4203 | 4201 | 4199 |
| 4407 | 4409 | 4411 | 4413 | 4415 | 4417 |

□ Geo Codes












Johnson County

Legend

-  Towns
-  Sections
-  Rivers and Streams
-  Topography

Soil Classes

-  Lakes and Ponds
-  Excessively drained sandy soils formed in alluvium in valleys and eolian sand on uplands in sandhills
-  Excessively drained sandy soils formed in eolian sands on uplands in sandhills
-  Moderately well drained silty soils on uplands and in depressions formed in loess
-  Well drained silty soils formed in loess on uplands
-  Well drained silty soils formed in loess and alluvium on stream terraces
-  Well to somewhat excessively drained loamy soils formed in weathered sandstone and eolian material on uplands
-  Somewhat poorly drained soils formed in alluvium on bottom lands
-  Moderately well drained silty soils with clayey subsoils on uplands