



 Market Areas



● Registered Wells > 500 GPM

1711	1713	1715	1717	1719	1721	1723	1725
1905	1903	1901	1899	1897	1895	1893	1891
1995	1997	1999	2001	2003	2005	2007	2009
2189	2187	2185	2183	2181	2179	2177	2175
2279	2281	2283	2285	2287	2289	2291	2293
2477	2475	2473	2471	2469	2467	2465	2463
2569	2571	2573	2575	2577	2579	2581	2583
2771	2769	2767	2765	2763	2761	2759	2757



McPherson County

Legend

⊕ Towns

□ Sections

— Rivers and Streams

— Topography

Soil Classes

■ Lakes and Ponds

■ Excessively drained sandy soils formed in alluvium in valleys and eolian sand on uplands in sandhills

■ Excessively drained sandy soils formed in eolian sands on uplands in sandhills

■ Moderately well drained silty soils on uplands and in depressions formed in loess

■ Well drained silty soils formed in loess on uplands

■ Well drained silty soils formed in loess and alluvium on stream terraces

■ Well to somewhat excessively drained loamy soils formed in weathered sandstone and eolian material on uplands

■ Somewhat poorly drained soils formed in alluvium on bottom lands

■ Moderately well drained silty soils with clayey subsoils on uplands