



Market Areas



● Registered Wells > 500 GPM

|      |      |      |      |      |      |
|------|------|------|------|------|------|
| 3541 | 3539 | 3537 | 3535 | 3533 | 3531 |
| 3657 | 3659 | 3661 | 3663 | 3665 | 3667 |
| 3773 | 3771 | 3769 | 3767 | 3765 | 3763 |
| 3891 | 3893 | 3895 | 3897 | 3899 | 3901 |
| 4009 | 4007 | 4005 | 4003 | 4001 | 3999 |
| 4127 | 4129 | 4131 | 4133 | 4135 | 4137 |



**Legend**

- Towns
- Sections
- Rivers and Streams
- Topography

**Soil Classes**

- Lakes and Ponds
- Excessively drained sandy soils formed in alluvium in valleys and eolian sand on uplands in sandhills
- Excessively drained sandy soils formed in eolian sands on uplands in sandhills
- Moderately well drained silty soils on uplands and in depressions formed in loess
- Well drained silty soils formed in loess on uplands
- Well drained silty soils formed in loess and alluvium on stream terraces
- Well to somewhat excessively drained loamy soils formed in weathered sandstone and eolian material on uplands
- Somewhat poorly drained soils formed in alluvium on bottom lands
- Moderately well drained silty soils with clayey subsoils on uplands

**Adams County**