



Market Areas



● Registered Wells > 500 GPM

|      | 3003 | 3001 | 2999 | 2997 | 2995 |
|------|------|------|------|------|------|
| 3223 | 3225 | 3227 | 3229 | 3231 | 3233 |
| 3301 | 3299 | 3297 | 3295 | 3293 | 3291 |
| 3447 | 3449 | 3451 | 3453 | 3455 | 3457 |
| 3525 | 3523 | 3521 | 3519 | 3517 | 3515 |
| 3673 | 3675 | 3677 | 3679 | 3681 |      |



- Legend**
- Towns
  - Sections
  - Rivers and Streams
  - Topography
- Soil Classes**
- Lakes and Ponds
  - Excessively drained sandy soils formed in alluvium in valleys and eolian sand on uplands in sandhills
  - Excessively drained sandy soils formed in eolian sands on uplands in sandhills
  - Moderately well drained silty soils on uplands and in depressions formed in loess
  - Well drained silty soils formed in loess on uplands
  - Well drained silty soils formed in loess and alluvium on stream terraces
  - Well to somewhat excessively drained loamy soils formed in weathered sandstone and eolian material on uplands
  - Somewhat poorly drained soils formed in alluvium on bottom lands
  - Moderately well drained silty soils with clayey subsoils on uplands