



Market Areas



● Registered Wells > 500 GPM

95	93	91	89	87	85	83	81	79
97	99	101	103	105	107	109	111	113
315	313	311	309	307	305	303	301	299
317	319	321	323	325	327	329	331	333
569	567	565	563	561	559	557	555	553
571	573	575	577	579	581	583	585	587
833	831	829	827	825	823	821	819	817
837	839	841	843	845	847	849	851	853
1107	1105	1103	1101	1099	1097	1095	1093	1091
1113	1115	1117	1119	1121	1123	1125	1127	1129
1383	1381	1379	1377	1375	1373	1371	1369	1367
1387	1389	1391	1393	1395	1397	1399	1401	1403
1665	1663	1661	1659	1657	1655	1653	1405	



Legend

- ⊕ Towns
- Sections
- Rivers and Streams
- Topography

Soil Classes

- Lakes and Ponds
- Excessively drained sandy soils formed in alluvium in valleys and eolian sand on uplands in sandhills
- Excessively drained sandy soils formed in eolian sands on uplands in sandhills
- Moderately well drained silty soils on uplands and in depressions formed in loess
- Well drained silty soils formed in loess on uplands
- Well drained silty soils formed in loess and alluvium on stream terraces
- Well to somewhat excessively drained loamy soils formed in weathered sandstone and eolian material on uplands
- Somewhat poorly drained soils formed in alluvium on bottom lands
- Moderately well drained silty soils with clayey subsoils on uplands

Sioux County